

WHAT IS CLAIMED IS:

- 1 1. An applicator device for applying a composition, the device
2 comprising:
3 a body;
4 a composition containment member coupled to the body configured
5 to receive the composition; and
6 an applicator surface coupled to the body to receive the
7 composition from the composition containment member,
8 wherein the applicator surface is movable between a storage
9 position and a use position by an activator coupled to the applicator surface.

- 1 2. The applicator device of claim 1, wherein the applicator surface is
2 substantially planar in the storage position and substantially non-planar in the
3 use position.

- 1 3. The applicator device of claim 2, wherein the applicator surface is
2 substantially serpentine in the use position.

- 1 4. The applicator device of claim 1, wherein the activator includes a
2 first sliding member movable between a first position in which the applicator
3 surface is in the storage position and a second position in which the applicator
4 surface is in the use position.

- 1 5. The applicator device of claim 4, further comprising a composition
2 dispensing member for communicating a selective amount of the composition to
3 the applicator surface.

1 6. The applicator device of claim 5, wherein the composition
2 dispensing member includes at least one of:
3 a piston movable through the composition containment member to
4 communicate the composition to the applicator surface; and
5 an engagement member for moving the composition containment
6 member in the form of a burstable package to a bursting position in which the
7 composition is communicated to the applicator surface.

1 7. The applicator device of claim 6, wherein the composition
2 dispensing member is coupled to the first sliding member.

1 8. The applicator device of claim 6, further comprising a second
2 sliding member movable between a first position and a second position, wherein
3 the composition dispensing member is coupled to the second sliding member.

1 9. The applicator device of claim 1, further comprising at least one of
2 an oral composition and a topical composition.

1 10. The applicator device of claim 9, wherein the oral composition
2 comprises at least one essential oil selected from the group consisting of
3 menthol, thymol, eucalyptus, and methyl salicylate and mixtures thereof.

1 11. The applicator device of claim 1, wherein the body comprises at
2 least one of a valve and a single direction metering valve positioned between the
3 composition containment member and the applicator surface.

1 12. A method of making an applicator device for applying a composition
2 to a user, the method comprising the steps of:
3 a) providing a body, wherein the body includes an applicator
4 surface;
5 b) coupling a composition containment member to the body,
6 wherein the composition containment member is configured to hold the
7 composition;
8 wherein the applicator surface is moveable from a planar storage
9 position to a substantially serpentine use position; and
10 wherein the composition from the composition containment
11 member is passable to the applicator surface.

1 13. An applicator device comprising:
2 a body;
3 a composition containment member coupled to the body and
4 configured to hold a composition; and
5 a movable applicator surface coupled to the body to receive the
6 composition from the composition containment member,
7 wherein the applicator surface is substantially planar in a storage
8 position and substantially non-planar in a use position.

1 14. The applicator device of claim 13, further comprising a composition
2 dispensing member for communicating a selective amount of the composition to
3 the applicator surface.

1 15. The applicator device of claim 14, wherein the composition
2 dispensing member includes one of:
3 a piston movable through the composition containment member to
4 communicate the composition to the applicator surface; and
5 an engagement member for moving the oral composition
6 containment member in the form of a burstable package to a bursting position in
7 which the composition is communicated to the applicator surface.

1 16. The applicator device of claim 14, further comprising a sliding
2 member movable between a first position and a second position, wherein the
3 composition dispensing member is coupled to the sliding member.

1 17. The applicator device of claim 13, wherein the body further
2 comprises a valve.

1 18. The applicator device of claim 13, wherein the substantially non-
2 planar surface is at least one of a serpentine, curved, non-planar, and irregular
3 shaped surface.

1 19. The applicator device of claim 13, further comprising an oral
2 composition, wherein the oral composition includes at least one essential oil.

1 20. The applicator device of claim 19, wherein the oral composition
2 includes a mixture including menthol, thymol, eucalyptus, and methyl salicylate.